

SARASWATI CABLE INDUSTRIES

AUTHORISED MANUFACTURER · DELHI

KK KABLES[®]

Your Wiring Solutions

PRICE LIST

Premium PVC Insulated Wires & Cables

Multicore · Single Core · Submersible Flat Cables

IS : 694	CM/L-8560078
----------	--------------


PRICE LIST EFFECTIVE

01 · 08 · 2025

SARASWATI CABLE INDUSTRIES

Conforming to IS 694 · Flexible Annealed Bare Copper Conductor

01

Multicore Flexible Cable*PVC Insulated & PVC Round Sheathed · Up to 1100V*

KK Kables Multicore Flexible Cable is engineered for demanding industrial and domestic installations where reliability is non-negotiable. Constructed with flexible annealed bare copper conductors and a tough PVC round sheath, it delivers outstanding conductivity, flexibility and an exceptionally long service life. Rated up to and including 1100 Volt and conforming to IS 694 : 2010, it is the trusted choice for panel wiring, machinery, control circuits and general power distribution.

DISTINGUISHING FEATURES

- Conductor: flexible annealed bare copper (Class 5)
- Insulation: colour-coded PVC cores
- Sheath: PVC round — abrasion & moisture resistant
- Voltage grade: up to & including 1100V AC
- Standard: IS 694 : 2010, latest amendments
- Configurations: 2, 3 & 4 Core · 0.50–70 sq.mm

Voltage	Conductor	Cores	Standard	Packing
1100V	Bare Copper	2 / 3 / 4	IS 694:2010	100 / 500 m

PRICE · PER 100 METRE COIL · IN RUPEES

SIZE · RATING	TWO CORE	THREE CORE	FOUR CORE
0.50 sq.mm · 5A	Rs. 3,430	Rs. 5,020	Rs. 6,360
0.75 sq.mm · 7A	Rs. 4,580	Rs. 6,800	Rs. 8,900
1.00 sq.mm · 12A	Rs. 6,190	Rs. 9,220	Rs. 11,980
1.50 sq.mm · 16A	Rs. 9,280	Rs. 13,800	Rs. 18,300
2.50 sq.mm · 22A	Rs. 14,750	Rs. 21,430	Rs. 28,450
4.00 sq.mm · 29A	Rs. 22,800	Rs. 33,000	Rs. 44,520
6.00 sq.mm · 37A	Rs. 33,330	Rs. 49,900	Rs. 66,300
10.00 sq.mm · 51A	Rs. 55,600	Rs. 81,900	Rs. 1,10,000
16.00 sq.mm · 68A	Rs. 87,500	Rs. 1,31,200	Rs. 1,75,200
25.00 sq.mm · 86A	—	Rs. 2,06,000	Rs. 2,73,500
35.00 sq.mm · 110A	—	Rs. 2,88,000	Rs. 3,84,500
50.00 sq.mm · 145A	—	Rs. 4,12,500	Rs. 5,49,000
70.00 sq.mm · 215A	—	Rs. 5,86,000	Rs. 7,74,500

Two-core configuration not available above 16 sq.mm. Supplied in 100 / 500 metre drums. Prices Ex-Works; GST extra as applicable.

02

Single Core Copper Wire

Unsheathed Multistrand · Flame Retardant · Length 90 Mtrs.



KK Kables Single Core Multistrand Wire is manufactured with flame-retardant PVC insulation and ISI-marked to IS 694 with the latest amendments. The unsheathed multistrand construction provides easy handling and reliable current-carrying capacity, making it ideal for fixed installation in conduits, ducts and open wiring across switchboards, lighting and power circuits.

DISTINGUISHING FEATURES

- Conductor: multistrand annealed bare copper
- Insulation: PVC — self-extinguishing
- ISI marked to IS : 694, latest amendments
- Unsheathed — ideal for conduit / duct runs
- Standard colour codes for easy identification
- Range: 0.75–35 sq.mm · 90 metre coils

Conductor	Insulation	Marking	Coil	Sizes
Multistrand	PVC	ISI 694	90 m	0.75–35

PRICE · PER 90 METRE COIL · IN RUPEES

SIZE · GAUGE · RATING

0.75 sq.mm **Rs. 1,560**
24/0.20 · 7A

1.00 sq.mm **Rs. 2,100**
14/0.30 · 12A

1.50 sq.mm **Rs. 3,220**
22/0.30 · 16A

2.50 sq.mm **Rs. 5,100**
36/0.30 · 22A

4.00 sq.mm **Rs. 7,850**
56/0.30 · 29A

SIZE · GAUGE · RATING

6.00 sq.mm **Rs. 12,100**
85/0.30 · 37A

10.00 sq.mm **Rs. 19,800**
140/0.30 · 51A

16.00 sq.mm **Rs. 31,700**
224/0.30 · 57A

25.00 sq.mm **Rs. 50,500**
350/0.30 · 71A


35.00 sq.mm **Rs. 70,500**
490/0.30 · 110A

Gauge shown as strands / strand-diameter. Price per 90 metre coil. Prices Ex-Works; GST extra as applicable.

03

Submersible Flat Cable

Three Core Sheathed · ISI Marked · Per Metre



Purpose-built for submersible pump applications, KK Kables Three Core Sheathed Flat Cable delivers dependable power transmission in wet, damp and underground environments. Its flat profile routes easily through narrow borewell casings, while the heavy-duty PVC sheath resists water, chemicals and mechanical stress. ISI-marked to IS 694 with the latest amendments.

DISTINGUISHING FEATURES

- Engineered for borewell & submersible pump wiring
- Flat profile — pulls easily through pump casings
- Heavy-duty PVC sheath — waterproof & chemical resistant
- ISI marked to IS : 694, latest amendments
- Multistrand copper — flexible & corrosion resistant
- Range: 1.50–16 sq.mm · priced per metre

Use	Profile	Cores	Marking	Sizes
Submersible	Flat	3 Core	ISI 694	1.5–16

PRICE · PER METRE · IN RUPEES

SIZE · GAUGE · RATING

1.50 sq.mm **Rs. 104 / m**
22/0.30 · 14A

2.50 sq.mm **Rs. 161 / m**
36/0.30 · 19A

4.00 sq.mm **Rs. 247 / m**
56/0.30 · 26A

SIZE · GAUGE · RATING

6.00 sq.mm **Rs. 376 / m**
84/0.30 · 31A

10.00 sq.mm **Rs. 614 / m**
140/0.30 · 42A

16.00 sq.mm **Rs. 988 / m**
224/0.30 · 57A

Suitable for borewell & submersible pump installations. Price per metre. Prices Ex-Works; GST extra as applicable.